





**UROVISION • UROTECH**

A MEDI-GLOBE COMPANY

# Pediatric Urology Product Catalogue



Your Partner in  
Endourology

## CONTENTS

### WE CARE FOR PEDIATRIC UROLOGY

There are many reasons why urological examinations and interventions are necessary in children and adolescents. Recurring urinary tract infections, malformations in the urogenital tract, hypospadias or oncological diseases of the urogenital tract are only a few indications that make interventions necessary. As a whole, urological diseases in childhood are not uncommon.


As a leading provider of single-use medical products for endourological interventions, WE for sure provide a special range of products tailored to the needs of Pediatric Urology. Besides standard products in smaller sizes we have specially developed, innovative endourological products to support therapy.

UROTECH/UROVISION - Your Partner in Endourology.  
 With innovative solutions that facilitate interventions and spare children discomfort and pain as much as possible.

WE ARE URO!



STONE BASKETS TIPLESS  
[Page 4](#)



URETERAL CATHETERS  
[Page 5](#)



URETERAL STENTS  
[Page 6](#)



NEPHROSTOMY  
[Page 16](#)




SUPRAPUBIC BLADDER DRAINAGE  
[Page 20](#)



TRANSURETHRAL BLADDER DRAINAGE  
[Page 24](#)



SPECIAL PRODUCTS  
[Page 26](#)



ORDERING INFORMATION  
[Back Page](#)




STONE BASKETS TIPLESS


STONE BASKETS  
High elastic Nitinol material

Handle acc. to Lahme for all stone baskets

- De- and reconnectable handle:  
Endoscope can be removed while basket is situated. Handle and basket can get reattached afterwards
- Fixation of the stone in the basket due to spring mechanism
- Ergonomic handle design with non-slip surface
- Basket opens and closes within image area:  
No adjustment of endoscope necessary



„TIPLESS“




- "Smallest basket in the world" with 1.2 FR/CH
- Best rinse flow characteristics and visibility
- For picking up the smallest stone concretions even at the edge of the tissue
- With Tuohy-Borst adapter for fixation to the working channel of the endoscope
- Insertion aid protects the tip of the basket during insertion into the endoscope

| Article code | Size (FR/CH) | Wires | Working Length (cm) | Basket Length (mm) | Basket Ø (mm) | Basket-form |
|--------------|--------------|-------|---------------------|--------------------|---------------|-------------|
| STN-T123-120 | 1.2          | 3     | 120                 | 12                 | 8             | straight    |
| STN-T184-120 | 1.8          | 4     | 120                 | 15                 | 11            | straight    |

Packaging unit = 3 Pcs

URETERAL CATHETER

URETERAL CATHETER  
For retrograde Urography



- With universal adapter for injection of contrast medium
- Good X-ray visibility
- With inward stainless-steel stylet

| Nelaton-tip             |                       |              |             | Packaging unit = 10 Pcs |
|-------------------------|-----------------------|--------------|-------------|-------------------------|
| Article code closed tip | Article code open tip | Size (CH/FR) | Length (cm) | Max Guide wire (inch)   |
| UK-500370               | UK-600370             | 3            | 70          | 0.025"                  |
| UK-500470               | UK-600470             | 4            | 70          | 0.035"                  |


| Tiemann-tip             |                       |              |             | Packaging unit = 10 Pcs |
|-------------------------|-----------------------|--------------|-------------|-------------------------|
| Article code closed tip | Article code open tip | Size (CH/FR) | Length (cm) | Max Guide wire (inch)   |
| UK-510370               | UK-540370             | 3            | 70          | 0.025"                  |
| UK-510470               | UK-540470             | 4            | 70          | 0.035"                  |

URETERAL STENTS

YELLOW-STAR Double-J Ureteral Stent-Set  
PC-treated



SET COMPONENTS



Ureteral Stent

- ◆ Polyurethane (PUR)
- ◆ PC-treatment to minimize risk of infection and encrustation, resulting in extended indwelling time
- ◆ Drainage openings in pigtails and shaft
- ◆ Open tip
- ◆ Markings for exact positioning
- ◆ X-ray visible

Pusher

- ◆ Length: 40 cm

Guide wire standard

- ◆ PTFE-coated

URETERAL STENTS

| Open tip                    |                              |              |             |                        |                   |                | Packaging unit = 10 Pcs |
|-----------------------------|------------------------------|--------------|-------------|------------------------|-------------------|----------------|-------------------------|
| Article code w/o Guide wire | Article code with guide wire | Size (FR/CH) | Length (cm) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness    |
| EP-414710                   | EP-364710                    | 4.7          | 10          | 125                    | 0.028"            | straight       | standard                |
| EP-414712                   | EP-364712                    | 4.7          | 12          | 125                    | 0.028"            | straight       | standard                |
| EP-414715                   | EP-364715                    | 4.7          | 15          | 125                    | 0.028"            | straight       | standard                |
| EP-414718                   | EP-364718                    | 4.7          | 18          | 125                    | 0.028"            | straight       | standard                |
| EP-414720                   | EP-364720                    | 4.7          | 20          | 125                    | 0.028"            | straight       | standard                |
| EP-414722                   | EP-364722                    | 4.7          | 22          | 125                    | 0.028"            | straight       | standard                |

| Guide wire standard – PTFE-coated stainless steel |          |             |          |               |                 | Packaging unit = 10 Pcs |
|---------------------------------------------------|----------|-------------|----------|---------------|-----------------|-------------------------|
| Article code                                      | Ø (inch) | Length (cm) | Tip      | Stiffness Tip | Stiffness Shaft |                         |
| ST-291528                                         | 0.028"   | 150         | straight | standard      | standard        |                         |

| UROLIX guide wire "hydrophilic" |          |             |          |               |                 | Packaging unit = 10 Pcs |
|---------------------------------|----------|-------------|----------|---------------|-----------------|-------------------------|
| Article code                    | Ø (inch) | Length (cm) | Tip      | Stiffness Tip | Stiffness Shaft |                         |
| UXN-SS-2515                     | 0.025"   | 150         | straight | standard      | standard        |                         |

| Platin Pusher |              |             |                  | Packaging unit = 10 Pcs |
|---------------|--------------|-------------|------------------|-------------------------|
| Article code  | Size (FR/CH) | Length (cm) | Max Guide wire Ø |                         |
| PU-0545-RM    | 5            | 45          | 0.028"           |                         |
| PU-0570-RM    | 5            | 70          | 0.028"           |                         |


### URETERAL STENTS

## PREMIUM YELLOW STAR PLATIN PUSHER-LINE

For visually secured placement of the ureteral stent



### SET COMPONENTS



#### Ureteral Stent

- ◆ Polyurethane (PUR)
- ◆ PC-treatment to minimize risk of infection and encrustation, resulting in extended indwelling time
- ◆ Drainage openings in pigtails and shaft
- ◆ Open tip
- ◆ Markings for exact positioning
- ◆ X-ray visible

#### Platin Pusher

- ◆ Improved radiopaque visibility due to platinum ring at the tip
- ◆ Increased safety during retrograde insertion into the bladder

#### Guide wire standard

- ◆ PTFE-coated

### URETERAL STENTS

| Open tip                    |                              |              |             |                        |                   |                |                      |
|-----------------------------|------------------------------|--------------|-------------|------------------------|-------------------|----------------|----------------------|
| Packaging unit = 10 Pcs     |                              |              |             |                        |                   |                |                      |
| Article code w/o Guide wire | Article code with guide wire | Size (FR/CH) | Length (cm) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
| -                           | YSPL-364708                  | 4.7          | 8           | 125                    | 0.028"            | straight       | standard             |
| YSPL-414710                 | YSPL-364710                  | 4.7          | 10          | 125                    | 0.028"            | straight       | standard             |
| -                           | YSPL-364710-F                | 4.7          | 10          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414712                 | YSPL-364712                  | 4.7          | 12          | 125                    | 0.028"            | straight       | standard             |
| -                           | YSPL-364712-F                | 4.7          | 12          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414715                 | YSPL-364715                  | 4.7          | 15          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414715-F               | YSPL-364715-F                | 4.7          | 15          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414718                 | YSPL-364718                  | 4.7          | 18          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414718-F               | YSPL-364718-F                | 4.7          | 18          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414720                 | YSPL-364720                  | 4.7          | 20          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414720-F               | YSPL-364720-F                | 4.7          | 20          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414722                 | YSPL-364722                  | 4.7          | 22          | 125                    | 0.028"            | straight       | standard             |
| YSPL-414722-F               | YSPL-364722-F                | 4.7          | 22          | 125                    | 0.028"            | straight       | standard             |

| Guide wire standard - PTFE-coated stainless steel |          |             |          |               |                 |  |
|---------------------------------------------------|----------|-------------|----------|---------------|-----------------|--|
| Packaging unit = 10 Pcs                           |          |             |          |               |                 |  |
| Article code                                      | Ø (inch) | Length (cm) | Tip      | Stiffness Tip | Stiffness Shaft |  |
| ST-291528                                         | 0.028"   | 150         | straight | standard      | standard        |  |

| UROLIX Guide wire "hydrophilic" |          |             |          |               |                 |
|---------------------------------|----------|-------------|----------|---------------|-----------------|
| Packaging unit = 10 Pcs         |          |             |          |               |                 |
| Article code                    | Ø (inch) | Length (cm) | Tip      | Stiffness Tip | Stiffness Shaft |
| UXN-SS-2515                     | 0.025"   | 150         | straight | standard      | standard        |

| Platin Pusher           |              |             |                  |
|-------------------------|--------------|-------------|------------------|
| Packaging unit = 10 Pcs |              |             |                  |
| Article code            | Size (FR/CH) | Length (cm) | Max Guide wire Ø |
| PU-0545-RM              | 5            | 45          | 0.028"           |
| PU-0570-RM              | 5            | 70          | 0.028"           |


Variants “-F” are with string



## URETERAL STENTS

### WHITE-STAR Double-J Ureteral Stent-Set VISIOSTAR steerable set variant

#### SET COMPONENTS



#### Ureteral Stent

- ♦ Polyurethane (PUR)
- ♦ Drainage openings in pigtails and shaft
- ♦ Open tip
- ♦ Markings for exact positioning
- ♦ X-ray visible

#### Pusher

- ♦ Length: 40 cm

#### Guide wire standard

- ♦ PTFE-coated

#### VISIOSTAR steerable

- ♦ Catheter can be easily rotated and moved up or down
- ♦ Secure positioning of the ureteral stent
- ♦ Pre-assembled complete set

## URETERAL STENTS

#### Open tip not steerable

Packaging unit = 10 Pcs

| Article code w/o guide wire | Article code with guide wire | Size (FR/CH) | Length (cm) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
|-----------------------------|------------------------------|--------------|-------------|------------------------|-------------------|----------------|----------------------|
| ST-197308                   | ST-190308                    | 3            | 8           | 150                    | 0.018"            | straight       | standard             |
| ST-197310                   | ST-190310                    | 3            | 10          | 150                    | 0.018"            | straight       | standard             |
| ST-197312                   | ST-190312                    | 3            | 12          | 150                    | 0.018"            | straight       | standard             |
| ST-197315                   | ST-190315                    | 3            | 15          | 150                    | 0.018"            | straight       | standard             |
| ST-197318                   | ST-190318                    | 3            | 18          | 150                    | 0.018"            | straight       | standard             |
| ST-197320                   | ST-190320                    | 3            | 20          | 150                    | 0.018"            | straight       | standard             |
| -                           | ST-190322                    | 3            | 22          | 150                    | 0.018"            | straight       | standard             |
| EN-410408                   | EN-360408                    | 4            | 08          | 125                    | 0.025"            | straight       | standard             |
| EN-410410                   | EN-360410                    | 4            | 10          | 125                    | 0.025"            | straight       | standard             |
| EN-410412                   | EN-360412                    | 4            | 12          | 125                    | 0.025"            | straight       | standard             |
| EN-410415                   | EN-360415                    | 4            | 15          | 125                    | 0.025"            | straight       | standard             |
| EN-410418                   | EN-360418                    | 4            | 18          | 125                    | 0.025"            | straight       | standard             |
| EN-410420                   | EN-360420                    | 4            | 20          | 125                    | 0.025"            | straight       | standard             |
| -                           | EN-360422                    | 4            | 22          | 125                    | 0.025"            | straight       | standard             |
| EN-410508                   | -                            | 4.7          | 8           | 125                    | 0.028"            | straight       | standard             |
| EN-410510                   | EN-360510                    | 4.7          | 10          | 125                    | 0.028"            | straight       | standard             |
| EN-410512                   | EN-360512                    | 4.7          | 12          | 125                    | 0.028"            | straight       | standard             |
| EN-410515                   | EN-360515                    | 4.7          | 15          | 125                    | 0.028"            | straight       | standard             |
| EN-410518                   | EN-360518                    | 4.7          | 18          | 125                    | 0.028"            | straight       | standard             |
| EN-410520                   | EN-360520                    | 4.7          | 20          | 125                    | 0.028"            | straight       | standard             |
| EN-410522                   | EN-360522                    | 4.7          | 22          | 125                    | 0.028"            | straight       | standard             |

#### Open tip steerable

Packaging unit = 10 Pcs

| Article code with guide wire | Size (FR/CH) | Length (cm) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
|------------------------------|--------------|-------------|------------------------|-------------------|----------------|----------------------|
| US-110508                    | 4.7          | 8           | 150                    | 0.028"            | straight       | standard             |
| US-110510                    | 4.7          | 10          | 150                    | 0.028"            | straight       | standard             |
| US-110512                    | 4.7          | 12          | 150                    | 0.028"            | straight       | standard             |
| US-110515                    | 4.7          | 15          | 150                    | 0.028"            | straight       | standard             |
| US-110518                    | 4.7          | 18          | 150                    | 0.028"            | straight       | standard             |
| US-110520                    | 4.7          | 20          | 150                    | 0.028"            | straight       | standard             |
| US-110522                    | 4.7          | 22          | 150                    | 0.028"            | straight       | standard             |

#### Guide wire standard - PTFE-coated stainless steel

Packaging unit = 10 Pcs

| Article code | Ø (inch) | Length (cm) | Tip      | Stiffness Tip | Stiffness Shaft |
|--------------|----------|-------------|----------|---------------|-----------------|
| ST-291518    | 0.018"   | 150         | straight | standard      | standard        |
| ST-291528    | 0.028"   | 150         | straight | standard      | standard        |

#### UROLIX guide wire "hydrophilic"

Packaging unit = 10 Pcs


| Article code | Ø (inch) | Length (cm) | Tip      | Stiffness Tip | Stiffness Shaft |
|--------------|----------|-------------|----------|---------------|-----------------|
| UXN-SS-2515  | 0.025"   | 150         | straight | standard      | standard        |

# URETERAL STENTS

**MAGNETIC BLACK-STAR® Double-J Ureteral Stent-Set and Retrieval Device with magnet**



## SET COMPONENTS



### Ureteral Stent

- ◆ Polyurethane (PUR)
- ◆ Drainage openings in pigtails and shaft
- ◆ Markings for exact positioning
- ◆ X-ray visible
- ◆ Bladder sided magnet size S - FR/CH7
- ◆ No need for another Cystoscopy and/or anesthesia to remove the Magnetic Black-Star



### Pusher


- ◆ Length: 40 cm

### Guide wire standard

- ◆ PTFE-coated

### Retrieval Device with magnet

- ◆ Soft PUR
- ◆ Easy tip orientation via marking line
- ◆ Tiemann tip, 30°



# URETERAL STENTS

| Open tip with Retrieval Device |                              |              |             |                           |                        |                   |                | Packaging unit = 1 Pcs |
|--------------------------------|------------------------------|--------------|-------------|---------------------------|------------------------|-------------------|----------------|------------------------|
| Article code w/o guide wire    | Article code with guide wire | Size (FR/CH) | Length (cm) | Size Stent-magnet (FR/CH) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness   |
| MR-414810                      | MR-364810                    | 4.8          | 10          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-414812                      | MR-364812                    | 4.8          | 12          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-414815                      | MR-364815                    | 4.8          | 15          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-414818                      | MR-364818                    | 4.8          | 18          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-414820                      | MR-364820                    | 4.8          | 20          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-414822                      | MR-364822                    | 4.8          | 22          | 7                         | 145                    | 0.028"            | straight       | standard               |

| Open tip w/o Retrieval Device |                              |              |             |                           |                        |                   |                | Packaging unit = 1 Pcs |
|-------------------------------|------------------------------|--------------|-------------|---------------------------|------------------------|-------------------|----------------|------------------------|
| Article code w/o guide wire   | Article code with guide wire | Size (FR/CH) | Length (cm) | Size Stent-magnet (FR/CH) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness   |
| MR-404810                     | MR-304810                    | 4.8          | 10          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-404812                     | MR-304812                    | 4.8          | 12          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-404815                     | MR-304815                    | 4.8          | 15          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-404818                     | MR-304818                    | 4.8          | 18          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-404820                     | MR-304820                    | 4.8          | 20          | 7                         | 145                    | 0.028"            | straight       | standard               |
| MR-404822                     | MR-304822                    | 4.8          | 22          | 7                         | 145                    | 0.028"            | straight       | standard               |

| Retrieval Device             |              |             | Packaging unit = 1 Pcs |
|------------------------------|--------------|-------------|------------------------|
| Article code fits with FR/CH | Size (FR/CH) | Length (cm) |                        |
| R-Device-S                   | 9            | 40          |                        |


URETERAL STENTS

MAGNETIC BLACK-STAR® XS  
and Retrieval Device with magnet

NEW!




SET COMPONENTS



Ureteral Stent

- ◆ Polyurethane (PUR)
- ◆ Drainage openings in pigtails and shaft
- ◆ Markings for exact positioning
- ◆ X-ray visible
- ◆ Bladder sided magnet size XS - FR/CH 4.8
- ◆ Can be used with Cysto-/urethrosopes with a working channel of CH/FR 6 or more
- ◆ No need for another Cystoscopy and/or anesthesia to remove the Magnetic Black-Star XS



Pusher


- ◆ Length: 40 cm

Guide wire standard

- ◆ PTFE-coated

Retrieval Device with magnet

- ◆ Soft PUR
- ◆ Easy tip orientation via marking line
- ◆ Tiemann tip, 30°



URETERAL STENTS

Open tip with Retrieval Device

Packaging unit = 1 Pcs

| Article code w/o Guide wire | Article code with guide wire | Size (FR/CH) | Length (cm) | Size Stent-magnet (FR/CH) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
|-----------------------------|------------------------------|--------------|-------------|---------------------------|------------------------|-------------------|----------------|----------------------|
| MR-414810-XS                | MR-364810-XS                 | 4.8          | 10          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-414812-XS                | MR-364812-XS                 | 4.8          | 12          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-414815-XS                | MR-364815-XS                 | 4.8          | 15          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-414818-XS                | MR-364818-XS                 | 4.8          | 18          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-414820-XS                | MR-364820-XS                 | 4.8          | 20          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-414822-XS                | MR-364822-XS                 | 4.8          | 22          | 4.8                       | 145                    | 0.028"            | straight       | standard             |

Open tip w/o Retrieval Device

Packaging unit = 1 Pcs

| Article code w/o Guide wire | Article code with guide wire | Size (FR/CH) | Length (cm) | Size Stent-magnet (FR/CH) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
|-----------------------------|------------------------------|--------------|-------------|---------------------------|------------------------|-------------------|----------------|----------------------|
| MR-404810-XS                | MR-304810-XS                 | 4.8          | 10          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-404812-XS                | MR-304812-XS                 | 4.8          | 12          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-404815-XS                | MR-304815-XS                 | 4.8          | 15          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-404818-XS                | MR-304818-XS                 | 4.8          | 18          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-404820-XS                | MR-304820-XS                 | 4.8          | 20          | 4.8                       | 145                    | 0.028"            | straight       | standard             |
| MR-404822-XS                | MR-304822-XS                 | 4.8          | 22          | 4.8                       | 145                    | 0.028"            | straight       | standard             |

Retrieval Device

Packaging unit = 1 Pcs

| Article code fits with FR/CH | Size (FR/CH) | Length (cm) |
|------------------------------|--------------|-------------|
| R-Device-S                   | 9            | 40          |

Note:

When inserting the Magnetic Black Star endoscopically, pay attention to the working channel of the endoscope used. This should be at least 1 FR/CH larger than the ureteral stent.




# NEPHROSTOMY

## RENODRAIN-YELLOW Nephrostomy Puncture- and Exchange Set

Seldinger technique technique, PC-treated, with pigtail




### SET COMPONENTS



### Nephrostomy Catheter

- ◆ Polyurethane (PUR)
- ◆ PC-treated to minimize the risk of infection and encrustation
- ◆ Drainage openings in pigtail
- ◆ Luer-lock Connector



### Puncture Needle

- ◆ 2-part needle
- ◆ Medical stainless steel
- ◆ 18 G, length: 20 cm
- ◆ Improved ultrasonic visibility due to sandblasted tip

### Guide wire (Lunderquist)

- ◆ PTFE-coated guide wire in puncture set with flexible 1.5mm J-Tip
- ◆ PTFE-coated guide wire in exchange set with flexible straight tip

### Universal Adapter

- ◆ Male Adapter with Luer-Lock Connector
- ◆ 10 cm Silicone tube for connecting an urine bag
- ◆ PVC free

# NEPHROSTOMY

### Single catheter

Packaging unit = 10 Pcs

| Article code | Size (FR/CH) | Length (cm) |
|--------------|--------------|-------------|
| RP-410640-K  | 6            | 24          |

### Puncture Set

Packaging unit = 5 Pcs

| Article code | Size (FR/CH) | Length (cm) | Dilators (FR/CH) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip (r=1.5 mm) | Guide wire stiffness |
|--------------|--------------|-------------|------------------|------------------------|-------------------|---------------------------|----------------------|
| RP-400640-K  | 6            | 24          | 5/6              | 70                     | 0.025"            | J-Tip                     | hard                 |

### Exchange Set

Packaging unit = 5 Pcs


| Article code | Size (FR/CH) | Length (cm) | Dilators (FR/CH) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
|--------------|--------------|-------------|------------------|------------------------|-------------------|----------------|----------------------|
| RP-400642-K  | 6            | 24          | 5/6              | 70                     | 0.025"            | straight       | hard                 |

# NEPHROSTOMY

## RENODRAIN-INTEGRALE


Nephrostomy Puncture- and Exchange Set, Seldinger technique

### SET-KOMPONENTEN



### Balloon Catheter

- 100% full silicone catheter with integrated balloon
- Hole behind the balloon for calyx drainage
- X-ray visible contrast stripes
- Markings for exact positioning
- Reinforced funnel attachment for secure connection of the urine bag



### Puncture Needle

- 2-part needle with facet cut
- Medical stainless steel
- 18 G, length: 20 cm
- Improved ultrasonic visibility due to sandblasted tip

### Guide wire (Lunderquist)

- PTFE-coated guide wire in puncture set with flexible 1.5mm J-Tip
- PTFE-coated guide wire in exchange set with flexible straight tip

# NEPHROSTOMY

### Single catheter

Packaging unit = 10 Pcs

| Article code | Size (FR/CH) | Length (cm) | Balloon (ml) |
|--------------|--------------|-------------|--------------|
| RN-431026    | 10           | 30          | 1.5          |
| RN-421040    | 10           | 40          | 1.5          |

### Puncture Set

Packaging unit = 5 Pcs

| Article code | Size (FR/CH) | Length (cm) | Balloon (ml) | Dilators (FR/CH) *with Split sheath | Guide wire length (cm) | Guide wire (inch) | Guide wire tip (r=1.5 mm) | Guide wire stiffness |
|--------------|--------------|-------------|--------------|-------------------------------------|------------------------|-------------------|---------------------------|----------------------|
| RN-401040    | 10           | 40          | 1.5          | 6/8/10/12*                          | 70                     | 0.035"            | J-Tip                     | hard                 |

### Exchange Set

Packaging unit = 5 Pcs

| Article code | Size (FR/CH) | Length (cm) | Ballon (ml) | Dilators (FR/CH) *with Split sheath | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |
|--------------|--------------|-------------|-------------|-------------------------------------|------------------------|-------------------|----------------|----------------------|
| RN-411040    | 10           | 40          | 1.5         | 6/8/10/12*                          | 70                     | 0.035"            | straight       | hard                 |

### Blocking syringe

PU = 200 Pcs

| Article code | (ml) |
|--------------|------|
| SP-2100-10   | 10   |

- Aqua-Dest. glycerin 10%




SUPRAPUBIC BLADDER DRAINAGE

SUPRA-FIX Puncture- and Exchange Set

With pigtail, with funnel

SET COMPONENTS



Pigtail catheter

- ◆ Polyurethane (PUR)
- ◆ Flexible pigtail to avoid irritation
- ◆ Funnel for connection with the urine bag
- ◆ Two markings for exact positioning

Split Cannula

- ◆ Medical stainless steel
- ◆ Easy and safe splitting

Guide wire (only in Exchange Set)

- ◆ PTFE-coated

SUPRAPUBIC BLADDER DRAINAGE

| Puncture Set |              |             |                    |                           | Packaging unit = 5 Pcs |
|--------------|--------------|-------------|--------------------|---------------------------|------------------------|
| Article code | Size (FR/CH) | Length (cm) | Split cannula (mm) | Split cannula Length (cm) |                        |
| SU-081030    | 8.0          | 30          | 3.6                | 8                         |                        |
| SU-081050    | 8.0          | 50          | 3.6                | 8                         |                        |


| Exchange Set |              |             |                        |                   |                |                      | Packaging unit = 5 Pcs |
|--------------|--------------|-------------|------------------------|-------------------|----------------|----------------------|------------------------|
| Article code | Size (FR/CH) | Length (cm) | Guide wire length (cm) | Guide wire (inch) | Guide wire tip | Guide wire stiffness |                        |
| SU-081051    | 8.0          | 50          | 100                    | 0.038"            | straight       | standard             |                        |

## SUPRAPUBIC BLADDER DRAINAGE

### SUPRAVISION INTEGRAL STANDARD


Suprapubic Puncture- and Exchange Set, Seldinger technique

#### SET COMPONENTS



#### Suprapubic Catheter

- 100% full silicone catheter with integrated balloon
- Central open tip
- Transparent with integrated X-ray contrast strip
- Rounded tip for atraumatic insertion of the catheter
- Reinforced funnel for connection with the urine bag
- Excellent flow-through rate



#### VISIOSLIDE-Special Coating

- Increased lubricating properties due to special coating
- Wear-resistant inside and outside
- Very low incrustation propensity



## SUPRAPUBIC BLADDER DRAINAGE

#### Puncture Set with VISIOSLIDE special coating

Packaging unit = 5 Pcs

| Article code<br>VISIOSLIDE | Size (CH/FR) | Length (cm) | Balloon (ml) | Guide wire (inch) | Split cannula (mm) | Split cannula (cm) |
|----------------------------|--------------|-------------|--------------|-------------------|--------------------|--------------------|
| SV-300835-SC               | 8            | 35          | 1.5          | 0.028"            | 3.6                | 8                  |
| SV-301040-SC               | 10           | 40          | 3            | 0.032"            | 4.6                | 12                 |

#### Exchange Set with VISIOSLIDE special coating

Packaging unit = 5 Pcs

| Article code<br>VISIOSLIDE | Size (CH/FR) | Length (cm) | Balloon (ml) | Guide wire (inch) |
|----------------------------|--------------|-------------|--------------|-------------------|
| SV-330835-SC               | 8            | 35          | 1.5          | 0.028"            |
| SV-331040-SC               | 10           | 40          | 3            | 0.032"            |

#### Single Catheter

Packaging unit = 10 Pcs

| Article code<br>VISIOSLIDE | Size (CH/FR) | Length (cm) | Balloon (ml) | Guide wire (inch) |
|----------------------------|--------------|-------------|--------------|-------------------|
| SV-310835-SC               | 8            | 35          | 1.5          | 0.028"            |
| SV-311040-SC               | 10           | 40          | 3            | 0.032"            |

#### Blocking syringe

PU = 200 Pcs

| Article code | (ml) |
|--------------|------|
| SP-2100-10   | 10   |

- Aqua-Dest. glycerin 10%




# TRANSURETHRAL BLADDER DRAINAGE

## 2-WAY BALLOON CATHETER

Standard and Supersoft

### ESCRPTION



### VISIOCATH 2-way balloon catheter

- 100% full silicone for optimal patient comfort
- Good drainage performance due to large inner diameter
- Very soft surface for pleasant feeling on the skin
- With internal plastic stylet
- Very good lubricating properties
- Wear-resistant inside and outside
- Low incrustation propensity

With  
special  
VISIOSLIDE  
coating

### VISI-ESOFT 2-way balloon catheter

- 100% full silicone for optimal patient comfort
- Very soft balloon catheter for a very high comfort level for the patient
- Good drainage performance due to large inner diameter
- Reinforced funnel for connection with the urine bag

# TRANSURETHRAL BLADDER DRAINAGE

### VISIOCATH 2-way balloon catheter

Packaging unit = 10 Pcs

| Article code | Size (CH/FR) | Length (cm) | Balloon (ml) |
|--------------|--------------|-------------|--------------|
| KW-450603-SC | 6            | 30          | 1.5          |
| KW-450803-SC | 8            | 30          | 5            |
| KW-451003-SC | 10           | 30          | 5            |

### VISI-ESOFT 2-way balloon catheter

Packaging unit = 10 Pcs

| Article code | Size (CH/FR) | Length (cm) | Balloon (ml) |
|--------------|--------------|-------------|--------------|
| KG-300810    | 8            | 30          | 3            |
| KG-301010    | 10           | 30          | 5            |

### Blocking syringe

PU = 200 Pcs

| Article code | (ml) |
|--------------|------|
| SP-2100-10   | 10   |

- Aqua-Dest.-glycerin 10 %






SPECIAL PRODUCTS

# PYELOPLASTY CATHETERS

For renal pelvis plastic

## SET COMPONENTS



## Pyeloplasty Catheter

- ◆ Polyurethane (PUR)
- ◆ Drainage openings in pigtail and ureter section
- ◆ Markings for exact positioning
- ◆ X-ray visible

## Needle adapter with funnel

- ◆ For connection with the urine bag

| Article code | Size (FR/CH) | Ureter-/external part (cm) | Max Guide wire | Pigtail Ø (mm) |
|--------------|--------------|----------------------------|----------------|----------------|
| EK-620528    | 4.7          | 6 / 20                     | 0.028"         | 15             |
| EK-620628    | 6            | 6 / 20                     | 0.035"         | 15             |
| UR-910435    | 4            | 7 / 21                     | 0.025"         | 15             |
| UR-910535    | 5            | 7 / 21                     | 0.028"         | 15             |


Packaging unit = 10 Pcs

SPECIAL PRODUCTS

# LINZER CATHETER SET

Hypospadias and Epispadias

## SET COMPONENTS



## Linzer Catheter set

- ◆ Soft polyurethane (PUR) for best patient comfort
- ◆ Splinting of the urethra after surgical interventions for hypospadias and epispadias
- ◆ Ensuring postoperative bladder drainage
- ◆ Stabilizes the urethra, without suture

## Guide wire

- ◆ PTFE-coated

| Closed tip   |              |             |                        |            |                | Packaging unit = 10 Pcs |
|--------------|--------------|-------------|------------------------|------------|----------------|-------------------------|
| Article code | Size (FR/CH) | Length (cm) | Guide wire length (cm) | Guide wire | Guide wire tip | Guide wire stiffness    |
| EG-350822    | 8            | 22          | 40                     | 0.038"     | straight       | hard                    |

# ORDERING INFORMATION

## Order via Fax



+49 8032 973-211

## Order via phone



+49 8032 973-210

## Order via Email



[info@urotech.com](mailto:info@urotech.com)

**UROVISION GmbH**

**UROTECH GmbH**

Medi-Globe-Str. 1-5

D-83101 Rohrdorf OT Achenmühle

Telefon: +49 (0) 8032 - 973-210

Fax: +49 (0) 8032 - 973-211

E-Mail: [info@urotech.com](mailto:info@urotech.com)

[www.urovision-urotech.de](http://www.urovision-urotech.de)



**UROVISION•UROTECH**

A MEDI-GLOBE COMPANY

LL-0421 Vers. 1.0 03/2021